

Policy Making and Quantification of Health Impacts in England

John Kemm

Granada

13 April 2011



PUBLIC HEALTH CONSULTING

Policy making in England

- HIA not much used
- Dominant model of HIA non-quantified
- Health section of integrated impact assessment poorly completed
- Economists lead impact assessment



Public Service Agreement DH 1 (Labour administration)

Improve the health of the Population

- By 2010 increase life expectancy at birth in England to 78.6 years for men and 82.5 years for women




Equity and excellence Liberating the NHS (Conservative/Liberal Administration)

- Targets are out
- Outcomes are in



Manchester



http://www.hrb.ie/uploads/media/Dr_David_Levy.pdf

Levy DT et al Amer J Public Health 2009; 100:1267-73

***The SimSmoke* Model of Tobacco Control Policies**



David Levy, Ph.D.

**Pacific Institute for Research and
Evaluation**

**Presentation to Health Economics
Workshop**



JK

PUBLIC HEALTH CONSULTING

Policy inputs to SimSmoke

- Cigarette taxation
- Restrictions on smoking places
- Mass media tobacco programmes
- Youth access
- Education programmes
- Cessation treatment
- Advertising restrictions
- Pack Warning labels






Thank you for listening



PUBLIC HEALTH CONSULTING



PUBLIC HEALTH CONSULTING